

WCAG 2.1 Level AA Success Criteria

# **COMPLIANCE AUDIT**

For neonpigcreative.com | Verdict: Compliant!

accessiBe is the web accessibility **market leader**, powering the accessibility of **tens-of-thousands** of websites, from **small businesses** to industry-leading **enterprises**.

This audit evaluates the adherence level of **neonpigcreative.com** as of Fri May 13 2022, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments(for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

#	Requirement	Relevant	Successes	Failures	Score
1	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	2	0	100%

<div class="row container" data-acsb-hover="true" tabindex="0" > <section class="dot Wrap " aria-hidden="true" > <span class="dot acolor1" aria-hidden="true" data-acsb-fo rce-hidden="true" > </span > <span class="dot acolor1" aria-hidden="true" d...</pre>

<div class="row" data-acsb-hover="true" tabindex="0" > <div class="col-md-12"> <fo
oter class="site-footer" id="colophon" data-acsb-page-footer="true" role="contentinfo"
aria-label="Footer"> <div class="site-info"> <div cla...</pre>

2	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100%
3	Active popups should include an "ariamodal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
4	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100%
5	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be	No	0	0	-

wrapped inside an element with an
"aria-hidden" attribute that equals to
"false", or include it directly, and have
it dynamically changed to "true" when
they become visible.

6	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	-
7	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-
8	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-
9	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-
10	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100%

<h1 class=" a1110jq9l87cm" >THEY SAY PIGS DON'T FLY.</h1>

11	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	7	0	100%
12	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0	-
13	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	No	0	0	-
14	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
15	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	-
16	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "arialabel" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
17	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-	100%

18	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	No	0	0	-
19	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	3	0	100%

attribute that equals to "presentation"

or "none".

<img width="300" height="185" src="https://i0.wp.com/neonpigcreative.com/wp-conte
nt/uploads/2018/03/npc\_logo\_big.png?resize=300%2C185&amp;ssl=1" class="attachm
ent-medium size-medium jetpack-lazy-image entered lazyloaded jetpack-lazy-image--ha
ndled" a...</pre>

<img width="1159" height="849" src="https://neonpigcreative.com/wp-content/themes
/NPC/img/npc\_visittheshop2.jpg" alt="Visit Neon NPig Creative" data-lazy-src="https://ne
onpigcreative.com/wp-content/themes/NPC/img/npc\_visittheshop2.jpg" data-ll-status...</pre>

<img class="alignright wp-image-2939 size-full entered lazyloaded" src="https://neonpigcreative.com/wp-content/uploads/2019/01/CO\_Company.png" alt="Co\_company" width ="60" height="55" data-lazy-src="https://neonpigcreative.com/wp-content/uploads/2019/...

20	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0	-
21	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role"	Yes	3010	0	100%

<svg version="1.1" id="Layer 1" xmlns="http://www.w3.org/2000/svg" xmlns:xlink="ht</pre> tp://www.w3.org/1999/xlink" x="0px" y="0px" viewBox="0 0 46.7 30.6" style="enable-b ackground:new 0 0 46.7 30.6;" xml:space="preserve" aria-hidden="true" data-acsb-for... <i class="fa fa-bars " aria-hidden="true" data-acsb-force-hidden="true" ></i> <svg version="1.1" id="Layer 1" xmlns="http://www.w3.org/2000/svg" xmlns:xlink="ht</pre> tp://www.w3.org/1999/xlink" x="0px" y="0px" viewBox="0 0 301.7 163.6" style="enable e-background:new 0 0 301.7 163.6;" xml:space="preserve" aria-hidden="true" data-acs b... <i class="fa fa-facebook-official" aria-hidden="true" data-acsb-force-hidden="true" ></i <i class="fa fa-twitter" aria-hidden="true" data-acsb-force-hidden="true" ></i> <i class="fa fa-instagram" aria-hidden="true" data-acsb-force-hidden="true" ></i> <span class="dot acolor1" aria-hidden="true" data-acsb-force-hidden="true" ></span> <span class="dot acolor3" aria-hidden="true" data-acsb-force-hidden="true" ></span> <span class="dot acolor2" aria-hidden="true" data-acsb-force-hidden="true" ></span> <svg version="1.1" id="Layer 1" xmlns="http://www.w3.org/2000/svg" xmlns:xlink="ht</pre> tp://www.w3.org/1999/xlink" x=0px" y=0px" viewBox=0 0 554.8 252.7" style="enable-background:new 0 0 554.8 252.7;" xml:space="preserve" aria-hidden="true" data-acs

22 Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.

No

0

0


0

	description using an are attribute.				
24	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	-
25	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	No	0	0	-
26	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
27	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	-
28	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-
29	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	Yes	Pass	-	100%

should be regarded as a standard image and receive an alternative text description using an "alt" attribute.

# ocument" > <div class="cli-modal-content cli-bar-popup" > <button t...

30	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	No	0	0	-
31	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	-
32	Carousels should include an "aria- label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
33	Control elements such as next and previous icons should include an "arialabel" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0	-
34	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	-
35	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0	-



<h1 class="a1110jq9l87cm">THEY SAY PIGS DON'T FLY.</h1>

<h3 >But they never said anything about the neon ones.</h3>

Neon Pig is a creative agency based in Colorado Springs, Colorado. We specialize in branding, graphic design, web design and development, integrated advertising campaig ns, and other things on the creative spectrum.

<span style="font-weight: 400;" >Basically, we are a group of super dope, extremely go
od-looking, ultra-modest creative people that believe in building something completely u
nique. We strive to be a beacon (bacon?) of light in the night sky. Our visi...

<span style="font-weight: 400;" >So heat up the burners and prepare for a little splatter,
because with Neon Pig Creative, your brand will sizzle.</span>

<h3 style="" >Apollo Medical Associates</h3>

<span class="categories " style=""> Featuring: <span style="color: " '="" > Identity </span><span style="color: " '="" > Print </span> < span style="color: " '="" > Web </span> </span>

<span style="color: " '="" > Identity </span>
<span style="color: " '="" > Print </span>
<span style="color: " '="" > Web </span>

39 Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".

Yes 2

100%

#### **Code snapshots of some successful elements**

<a role="button" data-cli\_action="accept" id="cookie\_action\_close\_header" class="med ium cli-plugin-button cli-plugin-main-button cookie\_action\_close\_header cli\_action\_button wt-cli-accept-btn " style="color: rgb(255, 255, 255); background-color: rgb...

<a role="button" id="cookie\_action\_close\_header\_reject" class="medium cli-plugin-butt on cli-plugin-main-button cookie\_action\_close\_header\_reject cli\_action\_button wt-cli-reject-btn " data-cli action="reject" style="color: rgb(255, 255, 255); backgro...</p>

40 Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.

Yes

2

0

0

100%

# Code snapshots of some successful elements

<a role="button" data-cli\_action="accept" id="cookie\_action\_close\_header" class="med ium cli-plugin-button cli-plugin-main-button cookie\_action\_close\_header cli\_action\_button wt-cli-accept-btn " style="color: rgb(255, 255, 255); background-color: rgb...</p>

<a role="button" id="cookie\_action\_close\_header\_reject" class="medium cli-plugin-butt on cli-plugin-main-button cookie\_action\_close\_header\_reject cli\_action\_button wt-cli-reject -btn " data-cli\_action="reject" style="color: rgb(255, 255, 255); backgro... 41 Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that

description.

Yes 12 0

100%

#### **Code snapshots of some successful elements**

<a class="skip-link screen-reader-text sr-only " href="#content" aria-hidden="false" dat a-="true" ">Skip to content</a>

<a href="https://neonpigcreative.com" data-acsb-scrape-url="https://neonpigcreative.com"> <svg version="1.1" id="Layer\_1" xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" x="0px" y="0px" viewBox="0 0 46.7 30.6" sty...

<a href="https://neonpigcreative.com" data-acsb-scrape-url="https://neonpigcreative.com"> <img width="300" height="185" src="https://i0.wp.com/neonpigcreative.com/wp-content/uploads/2018/03/npc\_logo\_big.png?resize=300%2C185&amp;ssl=1" clas...

<a href="https://neonpigcreative.com/project/apollo-medical-associates/" > <div class="inner" > <div class="overlay" style="background: #4e686a !important;"></div> <div class="captionWrap"> <div class...

<a href="https://neonpigcreative.com/project/a-voyage-around-the-world/" > <div class="inner" > <div class="overlay" style="background: #fcf6e6 !important;"></div> <div class="captionWrap"> <div class...

<a href="https://neonpigcreative.com/project/copper/" > <div class="inner" > <div class="overlay" style="background: #47799a !important;"></div> <div class="captionWrap"> <div class="imgWrap"> ...

<a href="https://neonpigcreative.com/project/rebekah-keller/" > <div class="inner" aria-hidden="true" > <div class="overlay" style="background: #abbfb4 !important;"></div > <div class="captionWrap"> <d...

<a href="/work" >See More Work &gt;</a>

<a href="tel://719-301-0253" ><span data-="true" " aria-label=" Click to Call " aria-hidd en="false" >Click to Call</a>

	<a 553a3c3b3e153b303a3b253c3;<br="" href="email:oink@neonpigcrea&lt;br&gt;=">ted]</a>				
42	Links that open in a new tab or a new window should either have an "arialabel" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.	Yes	Pass	-	100%
	Code snapshots of some success <a "="" -plugin-main-link="" acsbace.com="" displays="" displays<="" href="/terms-and-conditions/" https:="" i="" line.com="" style="color: rgl acsb-scrape-url=" th=""><th>id="CONSTAN b(68, 68, 68);"</th><th>T_OPEN_URL" t data-acsb-tool</th><th>tip="New Wir</th><th>ndow" data-</th></a>	id="CONSTAN b(68, 68, 68);"	T_OPEN_URL" t data-acsb-tool	tip="New Wir	ndow" data-
43	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	No	Fail	<del>-</del>	-
	Code snapshots of some failed end of some failed	-nosnippet="t font-family: inl	nerit; bottom: 0	px; position: 1	
44	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	No	0	0	-
45	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	No	0	0	-

The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.

Pass

100%

#### Code snapshots of some successful elements

<title>Colorado Springs Creative Agency - Graphic Design, Web and Advertising - Neon Pig Creative Graphic Design, Web Design & Advertising - Vittle>

Yes

47 The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.

Yes F

Pass

100%

#### Code snapshots of some successful elements

<a href="en" class="jetpack-lazy-images-js-enabled fontawesome-i2svg-pending acs b-light-contrast" id="acsb-light-contrast"><head><base href="https://neonpigcreative.com"><meta name="aceClient" content="true"><meta name="aceToken" content="6 27e3de5...

The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.

Yes

Pass

\_

100%

## Code snapshots of some successful elements

<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no ">

49 Landmarks such as main content and

footer should be built using their corresponding HTML5 element or include a description using an "arialabel" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and

navigation are tested in other sections.

3

100%

0

### Code snapshots of some successful elements

<main class="site-main" id="main" role="presentation"> <div class="contentWrappInn er"> <div class="content-column one\_half" data-acsb-main="true" role="main"> <h1 class=" a1110jq9l87cm" >THEY SAY PIGS DON'T FLY.</h1> <h3 >B...

Yes

<footer class="site-footer" id="colophon" data-acsb-page-footer="true" role="contentinf
o" aria-label="Footer"> < div class="site-info"> < div class="content-column one\_sixth"
> <img width="469" height="289" src="https://neonpigcr...</pre>